

NOV 22 2002

Summary of Safety and Effectiveness

K023645

Submitter's name, address, telephone number and contact person:

Bioplate, Inc.
6911 Melrose Avenue
Los Angeles, CA 90038
(323) 549-9500
(323) 935-0110 (fax)

Contact Person: Carol E. Jones

Trade Name of Device

Modified plate designs for use with the Bioplate® Rigid Fixation Bone Plating System for Craniomaxillofacial Surgery

Common name

Bone plates and bone screws

Classification name

Bone Plate (21 CFR 872.4760)

Predicate Devices

- (1) Bioplate, Inc.
Bioplate® Rigid Fixation Bone Plating System for
Craniomaxillofacial Surgery
K943071
- (2) Bioplate, Inc.
Bioplate® Rigid Fixation Bone Plating System for
Craniomaxillofacial Surgery
K992330
- (3) TiMesh Inc.
Softplates and screws
K923419, K923802, K973145

- (4) Techmedica, Inc.
Anspach Fixation System
K921801
- (5) Walter Lorenz Surgical Instruments, Inc.
Ultra-micro Titanium Cranial Osteosynthesis System
K910038
- (6) KLS-Martin L.P.
KLS-Martin Micro Osteosynthesis System (1.0mm)
L944561
- (7) KLS-Martin L.P.
KLS-Martin Micro Osteosynthesis System (1.5mm)
K944545
- (8) KLS-Martin L.P.
KLS-Martin Osteosynthesis System (2.0mm)
K943347
- (9) Sofamor Danek
Timesh System
K974017
- (10) Howmedica, Inc.
Luhr Titanium Pan Fixation System
K945139

Description of the device

Modified plate designs for use with the Bioplate® Rigid Fixation Bone Plating System for Craniomaxillofacial Surgery includes a variety of plate configurations for different anatomical applications. Titanium alloy screws of varying lengths are included for fixation of the plates to the craniomaxillofacial bony tissue.

The bone plates will be manufactured of commercially pure titanium.

Intended used of the device

The modified plate designs for use with the Bioplate Rigid Fixation Bone Plating System for Craniomaxillofacial Surgery are intended for use in

the treatment of fractures and reconstructive procedures of the craniomaxillofacial skeleton and non-load bearing fixation, including cranial bone fixation and orbital fixation. Each device is intended for single use only and only in conjunction with other titanium and titanium alloy implants.

Comparison of the devices' technological characteristics with those of predicate devices

The modified plate designs for use with the Bioplate Rigid Fixation Bone Plating System for Craniomaxillofacial Surgery has the same indications for use as the Bioplate, Wurzburg, Synthes, TiMesh, and KLS-Martin predicate devices. All of the technical characteristics of the modified plate designs for use with the Bioplate Rigid Fixation Bone Plating System for Craniomaxillofacial Surgery are substantially equivalent to the corresponding characteristics of the predicate devices, and any minor differences raise no new issues of safety and efficacy.



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

NOV 22 2002

Mr. Carol E. Jones
Chief Operating Officer
Bioplate, Incorporated
6911 Melrose Avenue
Los Angeles, California 90038

Re: K023665

Trade/Device Name: Modified Plate Design for use with the Bioplate Rigid
Fixation Bone Plating System for Craniomaxillofacial Surgery
Regulation Number: 21 CFR 872.4760
Regulation Name: Bone Plate
Regulatory Class: II
Product Code: JEY
Dated: October 31, 2002
Received: October 31, 2002

Dear Ms. Jones:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Page 2 – Mr. Jones

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 21 CFR Part 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4613. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,



Timothy A. Ulatowski
Director
Division of Anesthesiology, General Hospital,
Infection Control and Dental Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510(k) Number (if known): K023665

Device Name: Modified plate designs for use with the Bioplate Rigid Fixation Bone Plating System for Craniomaxillofacial Surgery.

Indications for Use:

The modified plate designs for use with the Bioplate Rigid Fixation Bone Plating System for Craniomaxillofacial Surgery are intended for use in the treatment of fractures and reconstructive procedures of the craniomaxillofacial skeleton and non-load bearing fixation, including cranial bone fixation and orbital fixation. Each device is intended for single use only and only in conjunction with other titanium and titanium alloy implants.

Keri Mulvey for Susan Ruman
(Division Sign-Off)

Division of Anesthesiology, General Hospital,
Infection Control, Dental Devices

510(k) Number: K023665

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED.)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use _____
(Per 21 CFR 801.109)

OR

Over-The-Counter Use _____
(Optional Format 1-2-96)